vinyl fencing aluminum fencing privacy fencing picket fencing ornamental fencing post & rail fencing vinyl railing aluminum railing mahogany top rails glass rails belly baluster railing turned picket rail square picket rail newel posts solar light caps grab rail column wraps window surrounds door surrounds lighted newel posts exterior home accents radius railing mailbox posts pergolas outdoor showers structural columns

VIKING MANUFACTURING INC.

vinyl fencing
aluminum fencing
privacy fencing
picket fencing
pool fencing
ornamental fencing
post & rail fencing
vinyl railing
aluminum railing
mahogany top rails
glass rails
belly balluster railing
turned picket rail
square picket rail

home entry gates











VMI Aluminum Fencing

VMI's Regis aluminum is colored with a state of the art 10-step powder coating process using AAMA 2604-02 coating application. Its powder coatings are custom blended from a Super Durable Polyester TGIC resin base to meet AAMA specifications. The powder coating process passed and exceeds all tests required to be AAMA 2604-02 certified.

VMI Regis fencing is available in a variety of complimenting colors. Due to printing variations, brochure colors are not true representations of our aluminum. Our 3000 series fence is available black & bronze standard but can be upgraded to 2604 color series for an aditional charge. See our aluminum railing section for a variety of

Although the aluminum fencing comes in a variety of styles and dimensions, only our 3000 and 4000 Rail, Pool, and Commercial series fences are shown. For information on our 5000 Industrial series fencing, see below.



Regis Model 4131 with Rings - Continuous Arch - Double Gate

VMI Industrial Series

Regis 5000 Series Specifications Fence Heights: 48", 55", 60", 72" 84", 96"

Section Heights; 8' Centers Standard Posts: 2.5" x 2.5" (.90")

Heavy Duty Posts; 2.5" x 2.5" (.125") Gate Posts; 2.5" x 2.5" (.125")

4" x 4" (.125") 6" x 6" (.185")

Post Caps: Flat - Standard - 2.5", 4", 6"

Ball - Optional - 2.5", 4"

Rails: 1.5"(.070)W x 1.5"(.095)H

Pickets: 1" x 1" (.062")

Picket Spacing: 3.750" Between Pickets

Finial Option: Triad & Quad

Regis industrial series aluminum fencing comes with a lifetime limited warranty* for private use. It is limited to a 30 year warranty for governmental, municipality, & corporate


Our aluminum fencing is treated with a patented AAMA powder coating process. They are guaranteed never to chip, warp, peel, and discolor. See aluminum rail section for a variety of color choices.



VMI Aluminum Gates



Residential Series Gate



Residential Series Gate



Commercial Series Gate



Commercial Series Gate

VIKING MANUFACTURING INC

Improving the Quality of Home...

VMI Aluminum Railing

FEATURES and BENEFITS

- Premium Architectural Grade Durability... Beautiful, Lasting Finish
- -Verified AAMA 2604-02 Compliant Powder Coated Aluminum Railing
- -Color Upgrade available from 2604 to 2605
- Unlimited* Color Choices.
- Railing in a box (rails, spindles & mounts.)
- Secure Factory Packaging
- Lifetime Warranty



Regis Model 4131 with Rings - Continuous Arch - Double Gate

Rail Specifications

Railing Heights: 36" and 42"

Railing Lengths: 4', 5', 6', 7' and 8'

Stair Rail Lengths: 4', 5', 6', 7' and 8'

Post Dimensions: 2" x 2" x 37" or 43" (standard); 2" x 2"

x 47" or 53" (stair)

Spindle: 3/4" x 3/4" x .053" wall

Spindle Spacing: 3.875"

StylishTop Rail: 1 3/4" w (.090") x 1 3/8" t (.085") Bottom Rail: 1 3/4" w (.090") x 1 1/4" t (.120")

Warranty: Lifetime Limited Warranty

Continuous Handrail: Matching Continuous Handrail -

ADA Compliant



Westbury Aluminum Rail 42" Height-Ball Cap






ACCESSORIES:

- -2" Standard Post
- -2" Crossover Post
- -2" 2-Piece Post Flair
- -2½" Post
- -2½" 1-Piece Post Flair
- -Ball Cap
- -Flat Cap
- -Top Rail Swivel Mount
- -Top Rail Adjustable Crossover Mount
- -Bottom Rail Swivel Mount

VIKING MANUFACTURING INC

Improving the Quality of *Home...*



Finial

#3131

Three Rail Series

3 Rail - Heights: 48% & 60° - with Finials Length: 6' sections Rails: 1"x 1"x 0.055(top) x 0.080° (side) - Pickets: 5/8"x 5/8"x 0.045" wall - Picket Spacing: 3,79" between pickets - Matching Gate Specifications - 20 year warranty - Also available in scalloped & arched

Alternating

#3132

Three Rail Series

3 Rail - with Alternate Finials - Heights: 48" & 60" - Length: 6" sections - Rails: 1" x 1" x 0.055(top) x 0.080" (side) - Pickets: 578" x 578" x 0.045" wall - Picket Spacing: 3,79" between pickets - Matching Gate Specifications - 20 year warranty

Split

#3233

Three Rail Series

3 Rail Flat Top with Alternate Finials Heights; 48", 55" Pool * & 60"(* meets BOCA requirements) Length; 6" sections - Rails; 1" x 1" x 0.055(top) x 0.080" (side) - Pickets; 578" x 578" x 0.045" wall - Picket Spacing; 3,79" between pickets - Matching Gate Specifications - 20 year warranty

Finial

#3141

Four Rail Series


4 Rail - with Finials Heights: 72" - Length: 6' sections - Rails: 1" x 1" x 0.055(top) x 0.080" (side) - Pickets: 5/8" x 5/8" x 0.045" wall - Picket Spacing: 3.79" between pickets - Also available is a scalopped style - Matching Gate Specifications - 20 year

Alternating

#3142

Four Rail Series

+ Rail - with Alternate Finials - Heights: 72"Length: 6' sections - Rails: 1" x 1" x 0.055(top) x 0.080" (side) - Pickets: 5/8" x 5/8" x 0.045" wall-Picket Spacing: 3.79" between pickets - Matching Gate Specifications - 20 year warranty



Flat

#3240

Four Rail Series

Four Rail - Flat Top - Height 72" - Length: 6' sections - Rails: 1" \times 1" \times 0.055(top) \times 0.080" (side) - Pickets: 3/8" \times 3/8" \times 0.045" wall - Picket Spacing: 3.79" between pickets - Matching Gate Specifications - 20 year warranty

Split

#3243

Four Rail Series

4 Rail - Flat Top with Alternating Finials - Height 72" - Length; 6' sections - Rails; 1"x 1"x 0.055(top) x 0.080" (side) - Pickets; 5/8"x 5/8"x 0.045" wall - Picket Spacing; 3,79" between pickets - Matching Gate Specifications - 20 year warranty

Finial

#4131

Commercial Series

3 Rail - with Finials - Heights: 48", 60°, 72" - Length: 8' sections - Rails: 1.1/4" x.1.1/2" x.0.070" (top) x.0.110" (side) - Pickets: 3/4" x.3/4" x.053" wall - Picket Spacing: 3:963" between pickets - Matching Gate Specifications - Lifetime warranty

Alternating

#4132

Commercial Series

3 Rail - Flat with Alternate Finials - Heights: 48", 60", 72" - Length: 8' sections - Rails: 1.1/4" x.1.1/2" x.0.070" (top) x.0.110" (side) - Pickets: 3/4" x.3/4" x.053" wall - Picket Spacing: 3.963" between pickets - Matching Gate Specifications - Lifetime warranty

Flat

#4230

Commercial Series

3 Rail - Flat Top - Heights: 48", 60", 72" - Length: 8' sections - Rails: 1 1/4" x 1 1/2" x 0.070" (top) x 0.110" (side) - Pickets: 3/4" x 3/4" x .053" wall - Picket Spacing: 3.963" between pickets - Matching Gate Specifications - Lifetime warranty



Double Flat

#3230

Pool Series

3 Rail - Flat Top - Heights: 54" (* meets BOCA requirements) - Length: 6' sections - Rails: 1" x 1" x 0.055(top) x 0.080" (side)
Pickets: 5/8" x 5/8" x 0.045" wall - Picket Spacing: 3.79" between pickets - Matching Gate Specifications - 20 year warranty

Flat

#3220

Pool Series

2 Rail - Flat Top - Heights: 48" "(* meets BOCA requirements) - Length: 6' sections - Rails: 1" x 1" x 0.055(top) x 0.080" (side) - Pickets; 5/8" x 5/8" x 0.045" wall - Picket Spacing; 3,79" between pickets - Matching Gate Specifications - 20 year warranty

Split

#4233

Commercial Pool Series

3 Rail – Flat Top with Alternate Finials – Heights: 55" – Length: 8' sections – Rails: 1 1/4" x 1 1/2" x 0.070" (top) x 0.110" (side) – Pickets: 3/4" x 3/4" x .053" wall - Picket Spacing: 3.963" between pickets – Matching Gate Specifications - Lifetime warranty

Flat

#4220

Commercial Pool Series


2 Rail - Flat Top - Heights: 48 1/2"*, 54"(* meets BOCA requirements) - Length: 8' sections - Rails: 1 1/4" x 1 1/2" x 0.070" (top) x 0.110" (side) - Pickets: 3/4" x 3/4" x .053" wall - Picket Spacing: 3:963" between pickets - Matching Gate Specifications - Lifetime warranty

Double Flat

#4230

Commercial Pool Series

3 Rail - Flat Top - Heights: 54" (* meets BOCA requirements) - Length: 8' sections - Rails: 1 1/4" x 1 1/2" x 0,070" (top) x 0.110" (side) - Pickets: 3/4" x 3/4" x .053" wall - Picket Spacing: 3.963" between pickets - Matching Gate



Standard

#RK53990XXX

Aluminum Series

Heights: 36" & 42" - Lengths: 4'thru 8' - Post Dimensions: 2" x 2" 37" or 43" - Stair Post Dimensions: 2" x 2" 47" or 53" - Spindle: 3/4" x 3/4" x .053" wall - Spacing 3.875"

Crossover

#RK63990XXXX

Aluminum Series

Continuous Rail - Heights: 36" & 42" - Lengths: 4'thru 8' - Post Dimensions: 2" x 2" 37" or 43" - Stair Post Dimensions: 2" x 2" 47" or 53" - Spindle: 3/4" x 3/4" x .053" wall - Spacing 3.875"



VMI Westbury Railing

- ✔ Premium grade durability, beautiful lasting finish
- ✔ Custom colors available, unlimited color choices
- ▼ The aluminum will never crack, chip, or peel
- ✓ Entire railing comes in a box for easy assembly
- ✓ Verified AAMA 2604-02 Compliant Powder coating
- ✓ Comes with a lifetime warranty
- ✔ Virtually maintenence free
- ✓ Stylish top and bottom rails

VIKING MANUFACTURING INC

Americas Choice for Premium Products

