

aluminum fencing privacy fencing large picket fencing small picket fencing pool fencing ornamental fencing post & rail fencing ranch fencing 3000 series fencing 4000 series fencing level pickets contour pickets arched pickets scalleped pickets

pole caps — i alumentari figirla + aliya cappy bates aliyamumi yang date

VMI Vinyl Fencing

Viking is proud to offer a complete line of 100% virgin vinyl fence systems. Built to withstand the harshest of weather conditions, our fence styles help you add classic, elegant appeal to any residential or commercial building projects.




Pure virgin vinyl provide the strength and durability necessary to stand up to the harshest of weather conditions. Our products will never crack, chip, peel, or rot.


Complementing gate for any custom fencing profile available.

All of our fencing sections are capped with a standard sharp cap. Posts are not included with fence style. Call for custom sized fence profiles. Standard picket spacing varies between 3" & 4" while close picket spacing varies between 1" & 1.5". Ask your local sales rep for details.





Privacy Lattice



Large Picket Series

In White Color



Board on Board

Privacy Fence Top View


VMI fencing is available in three complimenting colors. Due to printing variations, brochure colors are not true representations of our vinyl. Please see our display or color chip samples for accurate color reference.

Our vinyl color is applied when manufactured and is consistant throughout the product. The color will not chip or scrape off.



VIKING MANUFACTURING INC

Improving the Quality of Home...



Standard

#2010

Privacy Series

6'H x 6'L (66" coverage) / 6'H x 8'L (90" coverage) / Aluminum Reinforced Bottom Rail / .875 x .75 panel / 1.75" x 5.5" Rails

Lattice

#2020

Privacy Series

6'H x 6'L (66" coverage) / 6'H x 8' L (90" coverage) Aluminum Reinforced Bottom Rail / ,875 x ,75 t&g panel 1,75" x 5,5" Bottom & Middle Rails

Board on Board

#2030

Privacy Series

6'H x 6'L (66" coverage) / 6'H x 8' L (90" coverage) / Aluminum Reinforced Bottom Rail / .875 x 6 ribbed panel / 2" x 6" Top & Bottom Rail / See previous page for top view of panels

Picket

#2040

Privacy Series


6'H x 6'L (66" coverage) / 6'H x 8' L (90" coverage) Aluminum Reinforced Bottom Rail / .875 x .75 toung & groove panel / 1.75" x 5.5" Bottom & Mid Rail / 2" x 3" Top Rail


Closed Top Picket


#2050


Privacy Series

6'H x 6'L'(66" coverage) / 6'H x 8' L (90" coverage) / Aluminum Reinforced Bottom Rail / .875 x .75 toung & groove panel / 1.75" x 5.5" Bottom & Mid Rails / 2" x 3" Top Rail











Semi-Private

#2060

Privacy Series

6'H x 6' L (66" coverage) / 6'H x 8' L (90" coverage) / 1" spacing .875" x 6" Pickets / 2" x 6"Top & Botom

Level

Close Space #2110 Standard Space #2111

Small Picket Series

54"H x 6'L (69" coverage) 54"H x 8'L (91" coverage) / 4'H x 6'L (69" coverage) 4'H x 8'L (91" coverage) / 3'H x 6'L (69" coverage) 3'H x 8'L (91" coverage) / 2" x 6" bottom rail / 2" x 3" top

Contour

Close Space #2120 Standard Space #2121

Small Picket Series

54"H x 6'L (69" coverage) 54"H x 8'L (91" coverage) / 4'H x 6'L (69" coverage) 4'H x 8'L (91" coverage) / 3'H x 6'L (69" coverage) 3'H x 8'L (91" coverage) / 2" x 6" bottom rail / 2" x 3" top

Arched

Close Space #2130 Standard Space #2131

Small Picket Series


54"H x 6'L (69" coverage) 54"H x 8'L (91" coverage) / 4'H x 6'L (69" coverage) 4'H x 8'L (91" coverage) / 3'H x 6'L (69" coverage) 3'H x 8'L (91" coverage) / 2" x 6" bottom rail / 2" x 3" top

Scalloped

Close Space #2140 Standard Space #2141

Small Picket Series

54"H x 6'L (69" coverage) 54"H x 8'L (91" coverage) / 4'H x 6'L (69" coverage) 4'H x 8'L (91" coverage) / 3'H x 6'L (69" coverage) 3'H x 8'L (91" coverage) / 2" x 6" bottom rail / 2" x 3" top



Level

#2150

Large Picket Series

54"H x 6'L (69" coverage) 54"H x 8'L (91" coverage) / 4'H x 6'L (69" coverage) 4'H x 8'L (91" coverage) / 3'H x 6'L (69" coverage) 3'H x 8'L (91" coverage) / 2" x 6" Bottom Rail 2" x 3" Top

Arched

#2160

Large Picket Series

54"H x 6'L (69" coverage) 54"H x 8'L (91" coverage) / 4'H x 6'L (69" coverage) 4'H x 8'L (91" coverage) / 3'H x 6'L (69" coverage) 3'H x 8'L (91" coverage) / 2" x 6" Bottom Rail 2" x 3" Top

Scalloped

#2170

Large Picket Series

54"H x 6'L (69" coverage) 54"H x 8'L (91" coverage) / 4'H x 6'L (69" coverage) 4'H x 8'L (91" coverage) / 3'H x 6'L (69" coverage) 3'H x 8'L (91" coverage) / 2" x 6" Bottom Rail 2" x 3" Top

Large Picket

#2210

Pool Series


6'H x 6'L (66" coverage) 6'H x 8' L (90" coverage) / 5'H x 6'L (66" coverage) 5'H x 96 " L (90" coverage) / 2" x 6" Bottom & Top Rail / 6" Picket

Small Picket

#2220

Pool Series

6'H x 6'L (66" coverage) 6'H x 8' L (90" coverage) / 5'H x 6'L (66" coverage) 5'H x 8' L (90" coverage) / 2" x 6" Bottom & Top Rail



Alternating

#2230

Pool Series

6'H x 6'L (66" coverage) 6'H x 8' L (90" coverage) / 5'H x 6'L (66" coverage) 5'H x 8' L (90" coverage) / 2" x 6" bottom & top Rail

Split Large

#2240

Pool Series

6'H x 6'L (66" coverage) 6'H x 8' L (90" coverage) / 5'H x 6'L (66" coverage) 5'H x 8' L (90" coverage) / 6" Picket / 2" x 6" bottom rail / 2x3 top & mid rail / 2x6 bottom

Split Small

#2250

Pool Series

6'H x 6'L (66" coverage) 6'H x 8' L (90" coverage) / 5'H x 6'L (66" coverage) 5'H x 8' L (90" coverage) / 2" x 3" top & mid rails / 2x6 bottom

Split Alternating

#2260

Pool Series


6'H x 6'L (66" coverage) 6'H x 8' L (90" coverage) / 5'H x 6'L (66" coverage) 5'H x 8' L (90" coverage) / 2" x 3" top & mid rails / 2x6 bottom

Two Rail

#2310

Post & Rail Series

1.5" x 5.5" Rails / Rails are 16 " notched on both ends / Choose your post size to customize your rail height




Three Rail

#2320

Post & Rail Series

1.5" x 5.5" Rails / Rails are 16 " notched on both ends / Choose your post size to customize your rail height



Four Rail

#2330

Post & Rail Series

1.5" x 5.5" Rails / Rails are 16 " notched on both ends / Choose your post size to customize your rail height

Crossed Rail

#2340

Post & Rail Series

1.5" x 5.5" Rails / Rails are 16 " notched on both ends / Choose your post size to customize your rail height

Why choose VMI vinyl products?

- ✓ Made with only the highest quality 100% virgin vinyl
- UV inhibitors added for color stabilization
- ✓ Our products will never crack, chip, peel, or rot
- ✓ Aluminum reinforced top & bottom rail for an extra charge*

- ✓ Consumer & Environmentally Friendly



VIKING MANUFACTURING INC

Americas Choice for Premium Products

VMI Aluminum Fencing

VMI's Regis aluminum is colored with a state of the art 10-step powder coating process using AAMA 2604-02 coating application. Its powder coatings are custom blended from a Super Durable Polvester TGIC resin base to meet AAMA specifications. The powder coating process passed and exceeds all tests required to be AAMA 2604-02 certified.

VMI Regis fencing is available in a variety of complimenting colors. Due to printing variations, brochure colors are not true representations of our aluminum. Our 3000 series fence is available black & bronze standard but can be upgraded to 2604 color series for an aditional charge. See our aluminum railing section for a variety of

Although the aluminum fencing comes in a variety of styles and dimensions, only our 3000 and 4000 Rail, Pool, and Commercial series fences are shown. For information on our 5000 Industrial series fencing, see below.



Regis Model 4131 with Rings - Continuous Arch - Double Gate

VMI Industrial Series

Regis 5000 Series Specifications Fence Heights: 48", 55", 60", 72" 84", 96"

Section Heights; 8' Centers Standard Posts: 2.5" x 2.5" (.90")

Heavy Duty Posts; 2.5" x 2.5" (.125")

Gate Posts; 2.5" x 2.5" (.125")

4" x 4" (.125")

6" x 6" (.185")

Post Caps: Flat - Standard - 2.5", 4", 6"

Ball - Optional - 2.5", 4"

Rails: 1.5"(.070)W x 1.5"(.095)H

Pickets: 1" x 1" (.062")

Picket Spacing: 3.750" Between Pickets

Finial Option: Triad & Quad

Regis industrial series aluminum fencing comes with a lifetime limited warranty* for private use. It is limited to a 30 year warranty for governmental, municipality, & corporate


Our aluminum fencing is treated with a patented AAMA powder coating process. They are guaranteed never to chip, warp, peel, and discolor. See aluminum rail section for a variety of color choices.



VMI Aluminum Gates



Residential Series Gate



Residential Series Gate




Commercial Series Gate



Commercial Series Gate

VIKING MANUFACTURING INC

Improving the Quality of Home...



Finial

#3131

Three Rail Series

3 Rail - Heights: 48% & 60° - with Finials Length: 6' sections Rails: 1"x 1"x 0.055(top) x 0.080° (side) - Pickets: 578° x 578° x 0.045° wall - Picket Spacing: 3.79° between pickets - Matching Gate Specifications - 20 year warranty - Also available in scalloped & arched

Alternating

#3132

Three Rail Series

3 Rail - with Alternate Finials - Heights: 48" & 60" - Length: 6' sections - Rails: 1" x 1" x 0.055(top) x 0.080" (side) - Pickets: 578" x 578" x 0.045" wall - Picket Spacing: 3.79" between pickets - Matching Gate Specifications - 20 year warranty

Split

#3233

Three Rail Series

3 Rail Flat Top with Alternate Finials Heights; 48", 55" Pool * & 60"(* meets BOCA requirements) Length; 6" sections - Rails; 1" x 1" x 0.055(top) x 0.080" (side) - Pickets; 578" x 578" x 0.045" wall - Picket Spacing; 3,79" between pickets - Matching Gate Specifications - 20 year warranty

Finial

#3141

Four Rail Series


4 Rail - with Finials Heights: 72" - Length: 6' sections - Rails: 1" x 1" x 0.055(top) x 0.080" (side) - Pickets: 5/8" x 5/8" x 0.045" wall - Picket Spacing: 3.79" between pickets - Also available is a scalopped style - Matching Gate Specifications - 20 year

Alternating

#3142

Four Rail Series

+ Rail - with Alternate Finials - Heights; 72"Length; 6' sections - Rails; 1" x 1" x 0.055(top) x 0.080" (side) - Pickets; 5/8" x 5/8" x 0.045" wall-Picket Spacing; 3.79" between pickets - Matching Gate Specifications - 20 year warranty



Flat

#3240

Four Rail Series

Four Rail - Flat Top - Height 72" - Length: 6' sections - Rails: $1" \times 1" \times 0.055$ (top) $\times 0.080"$ (side) - Pickets: $3/8" \times 3/8" \times 0.045"$ wall - Picket Spacing: 3.79" between pickets - Matching Gate Specifications - 20 year warranty

Split

#3243

Four Rail Series

4 Rail - Flat Top with Alternating Finials - Height 72" - Length: 6' sections - Rails: 1" x 1" x 0.055(top) x 0.080" (side) - Pickets: 5/8" x 5/8" x 0.045" wall - Picket Spacing: 3.79" between pickets - Matching Gate Specifications - 20 year warranty

Finial

#4131

Commercial Series

3 Rail - with Finials - Heights: 48", 60", 72" - Length: 8' sections - Rails: 1.1/4" x.1.1/2" x.0.070" (top) x.0.110" (side) - Pickets: 3/4" x.3/4" x.053" wall - Picket Spacing: 3:963" between pickets - Matching Gate Specifications - Lifetime warranty

Alternating

#4132

Commercial Series

3 Rail - Flat with Alternate Finials - Heights: 48", 60", 72" - Length: 8' sections - Rails: 1.1/4" x.1.1/2" x.0.070" (top) x.0.110" (side) - Pickets: 3/4" x.3/4" x.053" wall - Picket Spacing: 3.963" between pickets - Matching Gate Specifications - Lifetime warranty

Flat

#4230

Commercial Series

3 Rail - Flat Top - Heights: 48", 60", 72" - Length: 8' sections - Rails: 1 1/4" x 1 1/2" x 0.070" (top) x 0.110" (side) - Pickets: 3/4" x 3/4" x .053" wall - Picket Spacing: 3.963" between pickets - Matching Gate Specifications - Lifetime warranty



Double Flat

#3230

Pool Series

3 Rail - Flat Top - Heights: 54" (* meets BOCA requirements) - Length: 6' sections - Rails: 1" x 1" x 0.055(top) x 0.080" (side)
Pickets: 5/8" x 5/8" x 0.045" wall - Picket Spacing: 3.79" between pickets - Matching Gate Specifications - 20 year warranty

Flat

#3220

Pool Series

2 Rail - Flat Top - Heights: 48" "(* meets BOCA requirements) - Length: 6' sections - Rails: 1" x 1" x 0.055(top) x 0.080" (side) - Pickets; 5/8" x 5/8" x 0.045" wall - Picket Spacing; 3,79" between pickets - Matching Gate Specifications - 20 year warranty

Split

#4233

Commercial Pool Series

3 Rail – Flat Top with Alternate Finials – Heights: 55" – Length: 8' sections – Rails: 1 1/4" x 1 1/2" x 0.070" (top) x 0.110" (side) – Pickets: 3/4" x 3/4" x .053" wall - Picket Spacing: 3.963" between pickets – Matching Gate Specifications - Lifetime warranty

Flat

#4220

Commercial Pool Series

2 Rail - Flat Top - Heights: 48 1/2"*, 54"(* meets BOCA requirements) - Length: 8' sections - Rails: 1 1/4" x 1 1/2" x 0.070" (top) x 0.110" (side) - Pickets: 3/4" x 3/4" x .053" wall - Picket Spacing: 3.963" between pickets - Matching Gate Specifications - Lifetime warranty

Double Flat

#4230

Commercial Pool Series

3 Rail - Flat Top - Heights: 54" (* meets BOCA requirements) - Length: 8' sections - Rails: 1 1/4" x 1 1/2" x 0,070" (top) x 0.110" (side) - Pickets: 3/4" x 3/4" x .053" wall - Picket Spacing: 3.963" between pickets - Matching Gate

